



THIS CONCRETE WEDGE TO FORM AN INTEGRAL PART OF K&C

200 MIN WIDTH

SIDE DRAIN MARKER

R

L = 1.5W OR R (WHICHEVER IS THE LONGER)

PLAN

NOTES:

1. THE SPECIFIED PAVEMENT STANDARD DOES NOT APPLY TO POOR SUBGRADE. REFER SUPPLEMENTARY NOTES (UMS.H) FOR DETAIL.
2. COUNCIL HAS A PREFERENCE FOR AN ENTRANCE THRESHOLD TO BE A CONCRETE SLAB WITH A STENCILLED FINISH IN LIEU OF USING PAVERS.
3. SIDE DRAINS TO BE CONSTRUCTED:
 - a. UNDER THE PERIMETER KERB AND CHANNEL AS PER SECTION B-B
 - b. UNDER THE MOST DOWNHILL EDGE RESTRAINT AS PER SECTION A-A, AND
 - c. AT OTHER LOCATIONS AS NECESSARY SUCH THAT EVERY POINT ON THE PAVED SURFACE IS WITHIN 5m OF A SIDE DRAIN OR MITRE DRAIN.
4. THE CONCRETE PAVEMENT THICKNESS ASSUMES A SUBGRADE CBR OF 5 AND IS TO BE DESIGNED EXCLUSIVE TO ANY STRUCTURAL CONTRIBUTION FROM THE MORTAR AND PAVERS.
5. CONCRETE TO BE GRADE N32, 20 MAX. AGGREGATE SIZE.
6. CONCRETE TO BE BROOM FINISHED.
7. REINFORCEMENT TO COMPLY WITH AS1303 FOR PLAIN BARS AND AS1304 FOR WELDED FABRIC. LAP MESH AT 400 AND TIE AT 500 SPACINGS.
8. WHERE EXISTING KERB AND CHANNEL IS PRESENT, LOCATE SIDE DRAIN IN FRONT OF CHANNEL. (REFER UMS 261)
9. ALTERNATIVE CONCRETE SLAB DESIGN AND SURFACING MAY BE CONSIDERED FOR APPROVAL BY MANAGER ASSET SERVICES UPON RECEIPT OF A FORMAL SUBMISSION BY A CERTIFIED ENGINEER.
10. DIMENSIONS IN MILLIMETRES (UNO).

ISSUE	AMENDMENT	DRAWN DATE	CHK'D DATE	APPR'D DATE
B	Paver Pattern & Reinforcement Details Modified	DJL 02/09	IC 09/09	PC 9/09
A	ORIGINAL ISSUE	April '01	May '01	June '01

DESIGN AUTHORISED FOR ISSUE B. BALL SIGNATURE ON ORIGINAL DATED 29/6/01				DESIGN	STD DWG GROUP	DATE	April '01
MANAGER ASSET SUPPORT - R.P.E.O: 3, 8, 5, 2				DRAWN	CITY DESIGN	DATE	April '01
DESIGN APPROVED B. HANSEN SIGNATURE ON ORIGINAL DATED 27/6/01				CHECKED	M. STEER	DATE	May '01
PRINCIPAL ASSET OFFICER ROADS & DRAINAGE				DRAWING FILENAME	UMS 262		
				ASSOCIATED PLANS	SUPERSEDES WS 17-2		



BRISBANE CITY COUNCIL STANDARD DRAWING

ENTRANCE THRESHOLD (PAVERS)

SCALE: NOT TO SCALE
DWG No. **UMS 262**
ORIGINAL SIZE: A3 REVISION: B