


TYPE A - INLET PIT DRAIN WITH GRATE - SECTION



GENERAL NOTES

ENSURE MOWN HEIGHT OF GRASS (TURF) AREAS FINISHES FLUSH WITH GRATE.

ENSURE GARDEN AREAS (MULCH) FINISH 25mm BELOW GRATE.

MULCH SHOULD NOT BE USED ON STEEP SLOPES ADJACENT TO GRATES OR WHERE PONDING COULD CAUSE THE MULCH TO FLOAT AND BLOCK THE INLET GRATE.

ENSURE EVEN GRADE FALLS MIN. 1:50 TO PAVEMENT AREAS TOWARDS GRATE.

ENSURE DRAINS ARE LOCATED IN ACCORDANCE WITH DETAILED LANDSCAPE PLAN, AND SUBDIVISION AND DEVELOPMENT GUIDELINES.

FIELD INLET AND CONNECTION TO STORMWATER LINE TO HYDRAULIC ENGINEERS SPECIFICATION. INLET PITS ONLY TO BE USED TO DRAIN LOW AREAS IN LANDSCAPING AND TURF AREAS. NOT SUITABLE FOR ROADS, CARPARKS, KERB AND CHANNEL AND EXTENSIVE PAVEMENT AREAS.

DIMENSIONS IN MILLIMETRES. (U.N.O.).

PC 19/14 LAUREN TEMPLEMAN SIGNATURE DN GRIGNAL DATED 31/18/14 MANAGER INFRASTRUCTURE MANAGENENT DESIGN AUTHORISED FOR ISSUE PAUL COTTON SIGNATURE ON DRIGNAL OATED 13/19/14 DESIGN APPROVED DRAWN CHECKED DESIGN DAP19L SWN UMD – E&P IJ.T.I and IMB ID.L. & G.MJ CITY DESIGN - L.A. CITY DESIGN - L.A. DATE DATE DATE 70 nu -04 Dec '13 Dec .03

ISSUE

AMENDMENT

Dec '03 DRAWN DATE

DATE OFF. 14

DATE D'APPR'D

UMS 337

ORIGINAL ISSUE

MPE

 \Box

밀

DRAIN WITH

GRATE

SECTION



BRISBANE CITY COUNCIL - URBAN MANAGEMENT DIVISION

DRAIN ORATE UMS 761